

Mounting instructions

WDK cable trunking

WDK cable trunking
Mounting instructions

Table of Contents

1	About these instructions	5
1.1	Target group.....	5
1.2	Relevance of these instructions.....	5
1.3	Types of warning information.....	5
1.4	Basic standards and regulations.....	6
1.5	Applicable documents.....	6
2	Intended use	6
3	Safety	7
3.1	General safety information.....	7
3.2	Personal protective equipment.....	7
3.3	Necessary tools.....	7
4	Mounting the WDK cable trunking	8
4.1	WDK mini trunking.....	8
4.1.1	Mini trunking system description.....	8
4.1.2	Mounting the WDK mini trunking.....	8
4.2	WDK/WDKH plastic cable trunking systems.....	11
4.2.1	System description, WDK.....	11
4.2.2	Mounting the WDK(H) cable trunking.....	13
5.3	Mounting the WDK universal trunking.....	35
5.3.1	System description.....	35
5.3.2	Mounting the universal trunking.....	36
5	Technical data	41
5.1	WDK Minikanal.....	41
5.2	WDK/WDKH plastic cable trunking system.....	42
5.2.1	Fittings.....	47
5.2.2	Accessories.....	66
5.3	WDK universal trunking.....	67

Table of Contents

1 About these instructions

1.1 Target group

These instructions are intended for the following target groups:

- Trained electrical specialists charged with mounting the cable routing systems
- Electrical planners and engineers charged with the planning of cable routing systems



Electrical work may only be carried out by specialist personnel with electrical training.

1.2 Relevance of these instructions

These instructions are based on the standards valid at the time of compilation (February 2022).

Please read the instructions carefully before starting mounting. We will not accept any warranty claims for damage caused through non-observance of these instructions.

Any images are intended merely as examples. Mounting results may look different.

These instructions are intended as assistance in the mounting, maintenance and overhauling of cable routing systems and makes no claims as to completeness.

All the documents supplied with the product must be stored in an easily accessible location, so as to be available when information is required.

The manufacturer will not accept liability for damage caused through non-observance of these mounting instructions.

Regional and seasonal factors were not taken into account.

1.3 Types of warning information



Type of risk!

Shows a risky situation. If the safety instruction is not observed, then serious or fatal injuries may occur.



Type of risk!

Shows a hazardous situation. If the safety instruction is not observed, then damage to the product or the surroundings may occur.

Note!

Indicates important information or assistance.

1.4 Basic standards and regulations

- DIN EN 50085, VDE 0604-2-1:2012-09 “Cable trunking systems and cable ducting systems for electrical installations”
- DIN VDE 0100 – Part 410: Protection measures
- DIN VDE 0100 – Part 520: Selection and erection of electrical equipment/Protection against external electrical influences (EMC)
- DIN VDE 0105: Operation of electrical installations (general requirements)
- DIN VDE 0107: Heavy-current installations in medical rooms
- DIN VDE 0298: Application of cables and cords in power installations
- EN 50310: Telecommunications bonding networks for buildings and other structures
- EN 50174: Information technology – Cabling installation
- DIN 4102: Fire Behaviour of Building Materials and Building Components
- EN 50642: Cable management systems – Test method for content of halogens
- Safety regulations for office workstations
- Protection against unauthorised access, e.g. in administrations, military or similar
- Shock protection for protection areas for civil defence

1.5 Applicable documents

- Declaration of conformity, see <https://www.obo.de/service/downloads/konformitaetserklaerungen/gebaeudeinstallation/leitungsuehrungs-systeme/>
- Symbol approvals, see <https://www.obo.de/service/downloads/zertifikate/gebaeudeinstallation/leitungsuehrungs-systeme/>

2 Intended use

Cable routing systems are manufactured according to the standard and may only be used for routing cables. Electrical installation devices (e.g. sockets, data technology supports or multimedia connections) with a rated voltage of up to 400 V can be installed in the cable routing systems. Depending on the version, the cable routing systems are designed for use at different ambient temperatures. The cable routing systems are approved for use in dry interior areas.

3 Safety

3.1 General safety information

Observe the following general safety information:

- Contact with electrical current can lead to an electric shock.
- Risk of cutting from plate edges.
- Electrical work may only be carried out by specialist personnel with electrical training.
- Cable routing systems may not act as supports for people or heavy objects.
- Observe the fire protection specifications when erecting systems for the maintenance of electrical function.
- Improper mounting or mounting deviating from the manufacturer's specifications may cause the cable routing system to collapse.
- Depending on the version, the cable routing systems are designed for use at different ambient temperatures.
- Do not stand on painted or coated surfaces, in order to prevent damage to the surfaces.

3.2 Personal protective equipment

List of personal protective equipment to be used:



Use hand protection



Wear safety shoes



Wear eye protection

3.3 Necessary tools

List of tools to be used:

- Screwdriver
- Saw
- Drill
- Battery-operated screwdriver

4 Mounting the WDK cable trunking

4.1 WDK mini trunking

4.1.1 Mini trunking system description




Fig. 1: Overview, WDK mini trunking

- ① WDK mini trunking

4.1.1.1 Accessories (optionally available):

- ② Shears for straight cuts (item no. 6028403)
- ③ Shears for mitre cuts (item no. 6028411)

The WDK mini trunking is used to route very small amounts of cables. The mini trunking is available in heights of 4 to 17 mm. With an adhesive film in the base area, mini trunking is suitable for direct mounting on the wall. Mini trunking is either equipped with a hinge cover or taper in the upper area of the WDK mini trunking to fix a cable. The main areas of application are administrative buildings, the commercial sector and industry. The plastic system is available in the colours pure white, cream white, traffic white and light grey. No fittings are available.

4.1.2 Mounting the WDK mini trunking




Fig. 2: Mounting the WDK mini trunking

1. Remove the protective film.
2. Stick the WDK mini trunking ① to a dust-free, adherent substrate.

Note!

When cutting the WDK mini trunking, two different sets of shears are available (for straight and mitre cuts).




Fig. 3: Straight cuts: Cutting the WDK mini trunking

3. Cut the WDK mini trunking in the desired position ① with the shears for straight cuts ② .




Fig. 4: Mitre cuts: Cutting the WDK mini trunking

4. Cut the WDK mini trunking in the desired position ① with the shears for mitre cuts ③ .

Mounting the WDK cable trunking




Fig. 5: Insert cables

5. Insert the cables in the WDK mini trunking ①.
6. Engage the cover with the hinge function on the WDK mini trunking ①.

4.2 WDK/WDKH plastic cable trunking systems

4.2.1 System description, WDK




Fig. 6: Overview, WDK cable trunking system













Various component parts belong to the WDK cable trunking system:

Note! *Not every fitting is available for each type. The equipment of the individual WDK cable trunking systems varies.*

Note! *The mounting of the halogen-free variant is identical. The difference is solely in the material properties.*

Item no.	Designation	Figure	Function
1	End piece		End piece for closing the WDK cable trunking at the trunking ends.

Mounting the WDK cable trunking

Item no.	Designation	Figure	Function
2	Cover clip		Cover clip for better and easier laying of the cables in the WDK cable trunking
3	T and cross piece cover T piece		T and cross piece to change the direction of WDK cable trunking. Available as cover fitting or fixed fitting.
4	WDK(H) cable trunking		WDK cable trunking for routing cables on the wall or ceiling. With base perforation in the trunking base for mounting directly on the wall/ceiling.
5	Internal corner cover Internal corner		Internal corner to change the direction of WDK cable trunking. Available as cover fitting or fixed fitting.
6	Joint cover		Joint cover for hiding cut edges and for smooth connection of trunking segments.
7	External corner cover External corner		External corner to change the direction of WDK cable trunking. Available as cover fitting or fixed fitting.
8	Cover for single device installation socket		Cover for closing a device installation socket with mounted socket in the WDK cable trunking.
9	Pipe adapter		Pipe adapter for transferring an installation pipe to the WDK cable trunking.
10	Flat angle cover Flat angle		Flat angle to change the direction of WDK cable trunking. Available as cover fitting or fixed fitting.
11	Device installation socket for Schuko sockets		Device installation socket for the installation of devices of support ring and support clamp design in WDK cable trunking of 60 mm trunking height.
12	Cover		Cover for closing the WDK cable trunking.
13	CEE connection unit		CEE socket for mounting in device installation sockets. Available with 16 A and 32 A.
14	Adapter flange		Adapter flange for mounting CEE sockets in a device installation socket.
15	Accessory socket for CEE socket		Device installation socket for the installation of a CEE socket in WDK cable trunking of 60 mm trunking height.
16	Partition		Partition to divide the WDK cable trunking for the installation of different voltage levels.

Item no.	Designation	Figure	Function
17	Device support		Device support for mounting on WDK cable trunking of the types WDK 12022, WDK 15030, WDK15040 and WDK 20050. The device support is only suitable for accepting Modul 45® devices.
18	Mounting aid		Mounting aid for the WDK cable trunking for single-handed mounting.

Tab. 1: Product overview, WDK cable trunking

The WDK cable trunking is used to simplify cable routing. Thanks to its base perforation, the WDK cable trunking is suitable for direct wall mounting. The core application is in administrative buildings, commercial areas and in industry. The plastic system is available in the colours stone white, cream white, light grey, pure white, sepia brown, jet black and traffic white.

The WDK cable trunking is available in different sizes. Together with the device installation sockets, the WDK cable trunking of 60 mm trunking height can be used as device installation trunking.

4.2.2 Mounting the WDK(H) cable trunking




Fig. 7: Adjusting the WDK cable trunking

1. Adjust the WDK cable trunking ④ to the desired length using a suitable tool (e.g. saw).

Mounting the WDK cable trunking




Fig. 8: Mounting the WDK cable trunking

2. Fasten the WDK cable trunking ④ to the wall in the slots using suitable fastening material (e.g. screw and anchor).

4.2.2.1 Using a mounting aid

Mounting aid for the WDK cable trunking for single-handed mounting. Simply snap onto the mushroom profile in the base of the WDK cable trunking. For the WDK cable trunking type 4060 and higher.




Fig. 9: Mounting the mounting aid

1. Snap the mounting aid ⑯ onto the mushroom profile in the base of the trunking.




Fig. 10: Mounting the WDK cable trunking

2. Push the WDK cable trunking ④ onto the mounting aid ⑯.




Fig. 11: Screwing the WDK cable trunking tight

3. Screw the WDK cable trunking ④ tight.

Mounting the WDK cable trunking

4.2.2.2 Mounting accessories




Fig. 12: Mounting the partition

4. Place the top locking lug of the partition ⑯ behind the mushroom profile. Then, engage the partition ⑯.




Fig. 13: Mounting cover clips

5. Snap the cover clips ② onto the bottom section of the WDK cable trunking at a 30° angle. Then, snap the cover clips ② in the top section.
6. Insert the cables in the WDK cable trunking ④.

As standard, from a trunking width of 60 mm, four cover clips of type

2370.. are snapped onto the base profile to retain the cables and fix the partition.

The cover clips are positioned freely on the locking contour of the trunking base and can be moved along the entire length of the trunking.

Note!

The partition must have been mounted before the cover clips are mounted. Mounting them at a later time is very difficult.

ACHTUNG

Damage to the cable routing system through raised junction boxes

The stability of the WDK cable trunking can be increased using the cover clips, although only to a certain extent. Only fill the WDK cable trunking with small cable loads when mounting them under the ceiling.




Fig. 14: Mounting under the ceiling

7. Only fill the WDK cable trunking ④ with small cable loads when mounting it under the ceiling or collect the cable weights with suitable means of fastening.

Mounting the WDK cable trunking




Fig. 15: Mounting the pipe adapter

Hinweis! *The pipe adapter can only be used in combination with the WDK cable trunking, type 13025.*

8. Attach the pipe adapter ⑨ to the end of the WDK cable trunking ④.
9. Snap the pipe into the pipe adapter ⑨.

4.2.2.3 Mounting accessories




Fig. 16: Mounting the device installation socket for Schuko sockets

1. Snap the device installation socket for Schuko sockets ⑪ onto the mushroom profile in the base of the WDK cable trunking ④.




Fig. 17: Screwing on the device installation socket for Schuko sockets

2. Screw the device installation socket for Schuko sockets ⑪ tight in the base of the WDK cable trunking ④ using the pre-mounted screw.




Fig. 18: Inserting the cable

3. Insert the cables in the device installation socket for Schuko sockets ⑪.

Mounting the WDK cable trunking




Fig. 19: Connecting the socket



WARNUNG

Risk to life through electric shock!

Energised components! Electrical installation work may only be carried out by an electrical engineer.

4. Connect the socket and insert it into the device installation socket for Schuko sockets 11 (1).
5. Lock/turn the socket (2).
6. Screw the socket tight with the pre-mounted external screws (3).




Fig. 20: Screwing on the device installation socket for Schuko sockets

7. Close the device installation socket for Schuko sockets ⑪ and WDK cable trunking ⑭ with the cover ⑫ and cover frame.

Mounting the WDK cable trunking

5.2.2.4 Mounting the CEE socket




Fig. 21: Mounting the device installation socket for CEE sockets

1. Hang the device socket for CEE sockets ⑯ on the mushroom profile in the base of the WDK cable trunking ⑭.




Fig. 22: Mounting the device installation socket for CEE sockets

2. Screw the device socket for the CEE socket ⑯ into the base of the WDK cable trunking ⑭ using the fastening screws.




Fig. 23: Pulling in the cable



WARNING

Risk to life through electric shock!

Energised components! Electrical installation work may only be carried out by an electrical engineer.

Note!

The 5-wire heavy current cable must be pulled up to 1 cm into the CEE device installation socket.

3. Pull the cables through the cable gland and into the device socket for CEE sockets 15.
4. Relieve the cable with the strain relief.

Note!

Optional, depending on the application:

5. Close the device socket for CEE sockets 15 on the other side with the screw plug.

Mounting the WDK cable trunking




Fig. 24: Mounting the device socket for CEE sockets

6. Engage the adapter flange ⑯ on the device socket for CEE sockets ⑮.
7. Cut the cover 12 according to the dimensions for the device socket for CEE sockets ⑮ (\square 83 mm).
8. Snap the cover ⑫ onto the WDK cable trunking ④.




Fig. 25: Mounting the CEE connection unit

9. Screw the CEE connection device ⑬ tight with the adapter flange ⑯

and the fastening screws on the device socket for CEE sockets ⑯.

Mounting the device support

Single device support for mounting on WDK cable trunking of the types WDK 12022, WDK 15030, WDK15040 and WDK 20050. The device is suitable for accepting Modul 45® devices (sockets, data technology supports).




Fig. 26: Preparations for mounting

1. Determine the WDK cable trunking ④ type: The WDK cable trunking type can be determined in various ways:
 - a Label on the packaging or on the trunking.
 - b Measuring the width and height in comparison with the following table. Type height x width (mm)

Type	Height x width (mm)
WDK 12022	13 x 22 mm
WDK 15030	17.5 x 30 mm
WDK 15040	18 x 40 mm
WDK 20050	20 x 50 mm

Tab. 2: Comparison of the trunking types

- c Holding the appropriate adapter plate to the already installed WDK cable trunking.
2. Remove the cover ⑫ at the desired mounting position (opening: approx. 45 mm).

Mounting the WDK cable trunking




Fig. 27: Inserting the adapter plate

Note!

For correct assignment, the WDK type is specified on the inner side of the adapter plates.

Note!

No adapter plate is required to mount the WDK20050 cable trunking.

3. Insert the adapter plate for the selected WDK type in the cover.




Fig. 28: Removing the spacer plate

4. Look for the spacer plate of the selected WDK type.
5. Using a suitable tool, cut the spacer plate on the perforation to which the arrow is pointing.

Note!

In the example image, the adapter plate is cut for installation on the WDK type 15040.




Fig. 29: Mounting the basic body

6. Apply the basic body to the WDK cable trunking at the required mounting position using the spacer plate.
7. Mark the drill holes.
8. Pre-drill the drill holes.
9. Screw the basic body tight using a suitable fastening material.




Fig. 30: Installing the socket

**WARNUNG****Risk to life through electric shock!**

Energised components! Only trained electrical specialists may carry out electrical installation work.

Mounting the WDK cable trunking

10. Pull the cable through the basic body.

11. Connect the socket.

12. Engage the socket in the basic body.




Fig. 31: Mounting the cover

13. Attach the cover to the basic body.




Fig. 32: Geräteträger demontieren

14. Insert the screwdriver in the side slots of the cover.

15. Remove the cover.

5.2.2.5 Mounting fittings




Fig. 33: Mounting the internal corner cover

1. Mount the WDK cable trunking ④ up to the end of the wall.
2. Attach the internal corner cover ⑤ over the mounted WDK cable trunking ④.
3. Snap the internal corner cover ⑤ into the cover contour.




Fig. 34: Mounting an internal corner

Mounting the WDK cable trunking

4. Fasten the internal corner 5 to the wall in the slots using suitable fastening material (e.g. screw and anchor).
5. Mount the WDK cable trunking 4 flush to the internal corner 5.




Fig. 35: Mounting the external corner cover

6. Mount the WDK cable trunking 4 up to the end of the wall.
7. Attach the external corner cover 7 to the WDK cable trunking 4.
8. Snap the external corner cover 7 into the cover contour.




Fig. 36: Mounting an external corner

9. Fasten the external corner 7 to the wall in the slots using suitable fastening material (e.g. screw and anchor).

10. Mount the WDK cable trunking ④ flush to the external corner ⑦.




Fig. 37: Mounting a flat angle cover

11. Mount the WDK cable trunking ④ at a 90° angle.

12. Attach the flat angle cover ⑩ to the WDK cable trunking ④.




Fig. 38: Mounting flat angles

13. Fasten the flat angle ⑩ to the wall in the slots using suitable fastening material (e.g. screw and anchor).

14. Mount the WDK cable trunking ④ flush to the flat angle ⑩.

Mounting the WDK cable trunking




Fig. 39: Mounting a T and cross piece

15. Attach the T and cross piece ③ to the WDK cable trunking ④.




Fig. 40: Mounting the T piece

16. Fasten the T piece ③ to the wall in the slots using suitable fastening material (e.g. screw and anchor).

17. Mount the WDK cable trunking ④ flush to the T piece ③.




Fig. 41: Mounting an end piece

18. Snap the end piece ① sideways onto the mushroom profile in the base of the trunking.




Fig. 42: Mounting the cover

Note!

The covers are designed to overlap. You can snap the covers over the external locking contour of the WDK cable trunking.

19. Snap the covers ⑫ into the cover contour of the WDK cable trunking ④.

Mounting the WDK cable trunking




Fig. 43: Mounting the joint cover

Note!

Mounting the joint cover increases ingress protection.

20. Snap the joint covers ⑥ onto the interface between the WDK cable trunking ④ using the adhesive film.

5.3 Mounting the WDK universal trunking

5.3.1 System description




Fig. 44: Universal trunking

Note!

The universal trunking hides cables which have to, for example, be inserted into meter cabinets.

The universal trunking is a visual cover to hide the cables in the surface-mounted distributor.

- ① Cover
- ② Front cover
- ③ Cover clips
- ④ End piece
- ⑤ Fastening clip

Mounting the WDK cable trunking

5.3.2 Mounting the universal trunking




Fig. 45: Mounting fastening clips

1. Using knock-in anchors, mount the fastening clips ⑤ on the left and right above the distributor cabinets.




Fig. 46: Mounting end pieces

2. Snap the end pieces ④ into the fastening clips ⑤.




Fig. 47: Cutting covers

3. Adjust the covers ① to the desired length using a suitable tool (e.g. coping saw).




Fig. 48: Installing covers

4. Snap the covers ① into the cover contour of the end pieces ④.

Mounting the WDK cable trunking




Fig. 49: Mounting cover clips

5. Clamp the cover clips ③ between the power unit and the cover ①.




Fig. 50: Mounting the front cover

6. Attach the front cover ② onto the cover clips ③.




Fig. 51: Universal trunking

The universal trunking allows tidy routing, even if a lot of cables need to be hidden.

Mounting the WDK cable trunking

5 Technical data

5.1 WDK Minikanal

WDK mini trunking

Type	Item no.	Dimensions (L x W x H)	Colour
WDKMD4CW	6150152	4,5 x 9 x 2000 mm	Cream white
WDKMD4RW	6150268	4,5 x 9 x 2000 mm	Pure white
WDKMD4	6150015	4,5 x 9 x 2000 mm	Light grey

Tab. 3: Technical data, WDK mini trunking (trunking height 4 mm)

Trunking height 7 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDKM7	6150071	7 x 7,5 x 2000 mm	Traffic white
WDKMD7CW	6150160	7 x 12,5 x 2000 mm	Cream white
WDKMD7RW	6150276	7 x 12,5 x 2000 mm	Pure white
WDKMD7S	6150326	7 x 12,5 x 2000 mm	Pure white

Tab. 4: Technical data, WDK mini trunking (trunking height 7 mm)

Trunking height 9 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDKM9	6150098	9 x 10 x 2000 mm	Traffic white

Tab. 5: Technical data, WDK mini trunking (trunking height 9 mm)

Trunking height 11 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDKM11	6150101	11 x 12 x 2000 mm	Traffic white

Tab. 6: Technical data, WDK mini trunking (trunking height 11 mm)

Trunking height 12 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDKMD12CW	6150179	12 x 12 x 2000 mm	Cream white
WDKMD12RW	6150284	12 x 12 x 2000 mm	Pure white
WDKMD12S	6150330	12 x 12 x 2000 mm	Pure white

Tab. 7: Technical data, WDK mini trunking (trunking height 12 mm)

Trunking height 17 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDKMD17CW	6150187	17 x 17 x 2000 mm	Cream white
WDKMD17RW	6150292	17 x 17 x 2000 mm	Pure white
WDKMD17S	6150334	17 x 17 x 2000 mm	Pure white

Tab. 8: Technical data, WDK mini trunking (trunking height 17 mm)

5.2 WDK/WDKH plastic cable trunking system

Trunking height 10 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK10020RW	6150764	10 x 20 x 2000 mm	Pure white
WDK10020CW	6150756	10 x 20 x 2000 mm	Cream white
WDK10020SRW	6027318	10 x 20 x 2000 mm	Pure white
WDKH-10020RW	6175375	10 x 20 x 2000 mm	Pure white
WDKH-10020RWT	6175377	10 x 20 x 2000 mm	Pure white
WDK10030RW	6150780	10 x 30 x 2000 mm	Pure white
WDK10030CW	6150772	10 x 30 x 2000 mm	Cream white
WDK 10030	6188972	10 x 30 x 2000 mm	Pure white
WDK10030RW	6150780	10 x 30 x 2000 mm	Pure white
WDK10030CW	6150772	10 x 30 x 2000 mm	Cream white

Tab. 9: Technical data: Plastic cable trunking systems (trunking height 10 mm)

Trunking height 12 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK12022RW	6150702	12 x 22 x 2000 mm	Pure white
WDK12022RW2100	6150703	12 x 22 x 2100 mm	Pure white
WDK12022TRW	6027300	12 x 22 x 2000 mm	Pure white
WDK12022TRW 2100	6027301	12 x 22 x 2100 mm	Pure white

Tab. 10: Technical data: Plastic cable trunking systems (trunking height 12 mm)

Trunking height 13 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK13025	6187704	13 x 25 x 2000 mm	Pure white
WDK13025	6187714	13 x 25 x 2000 mm	Oyster white

Tab. 11: Technical data: Plastic cable trunking systems (trunking height 13 mm)

Trunking height 15 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK15015GR	6024955	15 x 15 x 2000 mm	Stone grey
WDK15015CW	6024963	15 x 15 x 2000 mm	Cream white
WDK15015LGR	6024947	15 x 15 x 2000 mm	Light grey
WDK15015RW	6191002	15 x 15 x 2000 mm	Pure white
WDK15015BR	6024971	15 x 15 x 2000 mm	Sepia brown
WDK15015VW	6191400	15 x 15 x 2000 mm	Traffic white
WDK15030GR	6025005	15 x 30 x 2000 mm	Stone grey
WDK15015SW	6024949	15 x 15 x 2000 mm	Jet black
WDK15030CW	6025013	15 x 30 x 2000 mm	Cream white

Type	Item no.	Dimensions (L x W x H)	Colour
WDK15030RW	6191010	15 x 30 x 2000 mm	Pure white
WDK15030BR	6025021	15 x 30 x 2000 mm	Sepia brown
WDK15030LGR	6025048	15 x 30 x 2000 mm	Light grey
WDK15030SRW	6027325	15 x 30 x 2000 mm	Pure white
WDKH-15030RW	6175390	15 x 30 x 2000 mm	Pure white
WDKH-15030LGR	6175457	15 x 30 x 2000 mm	Light grey
WDKH-15030RW T	6175392	15 x 30 x 2000 mm	Pure white
WDK15040GR	6025137	15 x 40 x 2000 mm	Stone grey
WDK15040CW	6025161	15 x 40 x 2000 mm	Cream white
WDK15040RW	6191029	15 x 40 x 2000 mm	Pure white
WDK15040SRW	6027335	15 x 40 x 2000 mm	Pure white

Tab. 12: Technical data: Plastic cable trunking systems (trunking height 15 mm)**Trunking height 20 mm**

Type	Item no.	Dimensions (L x W x H)	Colour
WDK20020GR	6025110	20 x 20 x 2000 mm	Stone grey
WDK20020CW	6025153	20 x 20 x 2000 mm	Cream white
WDK20020LGR	6025102	20 x 20 x 2000 mm	Light grey
WDK20020RW	6191037	20 x 20 x 2000 mm	Pure white
WDK20020BR	6025129	20 x 20 x 2000 mm	Sepia brown
WDK20020SRW	6027360	20 x 20 x 2000 mm	Pure white
WDK20020SW	6025155	20 x 20 x 2000 mm	Jet black
WDK20020VW	6191406	20 x 20 x 2000 mm	Traffic white
WDKH-20020RW	6175400	20 x 20 x 2000 mm	Pure white
WDKH-20020LGR	6175460	20 x 20 x 2000 mm	Light grey
WDKH-20020SW	6175490	20 x 20 x 2000 mm	Jet black
WDK20035GR	6026362	20 x 35 x 2000 mm	Stone grey
WDK20035CW	6026370	20 x 35 x 2000 mm	Cream white
WDK20035LGR	6026354	20 x 35 x 2000 mm	Light grey
WDK20035RW	6191045	20 x 35 x 2000 mm	Pure white
WDK20050CW	6168701	20 x 50 x 2000 mm	Cream white
WDK20050RW	6168736	20 x 50 x 2000 mm	Pure white
WDK-N20050CW	6168728	20 x 50 x 2000 mm	Cream white
WDK-N20050RW	6168744	20 x 50 x 2000 mm	Pure white

Tab. 13: Technical data: Plastic cable trunking systems (trunking height 20 mm)**Trunking height 25 mm**

Type	Item no.	Dimensions (L x W x H)	Colour
WDK25025GR	6026419	25 x 25 x 2000 mm	Stone grey
WDK25025CW	6026427	25 x 25 x 2000 mm	Cream white
WDK25025LGR	6026400	25 x 25 x 2000 mm	Light grey

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK25025RW	6191053	25 x 25 x 2000 mm	Pure white
WDK25025SRW	6027372	25 x 25 x 2000 mm	Pure white
WDK25025VW	6191412	25 x 25 x 2000 mm	Traffic white
WDK25040GR	6026443	25 x 40 x 2000 mm	Stone grey
WDK25040CW	6026451	25 x 40 x 2000 mm	Cream white
WDK25040RW	6191061	25 x 40 x 2000 mm	Pure white
WDK25040SW	6026488	25 x 40 x 2000 mm	Jet black
WDK25040LGR	6026486	25 x 40 x 2000 mm	Light grey
WDK25040CW	6188079	25 x 40 x 2000 mm	Cream white
WDK-N25040CW	6150632	25 x 40 x 2000 mm	Cream white
WDK-N25040RW	6150640	25 x 40 x 2000 mm	Pure white

Tab. 14: Technical data: Plastic cable trunking systems (trunking height 25 mm)

Trunking height 30 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK30030GR	6026818	30 x 30 x 2000 mm	Stone grey
WDK30030CW	6026826	30 x 30 x 2000 mm	Cream white
WDK30030LGR	6026796	30 x 30 x 2000 mm	Light grey
WDK30030RW	6191096	30 x 30 x 2000 mm	Pure white
WDK30030BR	6026834	30 x 30 x 2000 mm	Sepia brown
WDK30045GR	6026850	30 x 45 x 2000 mm	Stone grey
WDK30045CW	6026869	30 x 45 x 2000 mm	Cream white
WDK30045LGR	6026842	30 x 45 x 2000 mm	Light grey
WDK30045RW	6191118	30 x 45 x 2000 mm	Pure white

Tab. 15: Technical data: Plastic cable trunking systems (trunking height 30 mm)

Trunking height 40 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK40040GR	6025447	40 x 40 x 2000 mm	Stone grey
WDK40040CW	6025412	40 x 40 x 2000 mm	Cream white
WDK40040LGR	6027016	40 x 40 x 2000 mm	Light grey
WDK40040RW	6191126	40 x 40 x 2000 mm	Pure white
WDK40040BR	6025420	40 x 40 x 2000 mm	Sepia brown
WDK40040RW	6188119	40 x 40 x 2000 mm	Pure white
WDK40060GR	6025633	40 x 60 x 2000 mm	Stone grey
WDK40060CW	6020887	40 x 60 x 2000 mm	Cream white
WDK40060SW	6025638	40 x 60 x 2000 mm	Jet black
WDK40060LGR	6027024	40 x 60 x 2000 mm	Light grey
WDK40060RW	6191134	40 x 60 x 2000 mm	Pure white
WDK40060BR	6025617	40 x 60 x 2000 mm	Sepia brown

Type	Item no.	Dimensions (L x W x H)	Colour
WDK40060RW	6188125	40 x 60 x 2000 mm	Pure white
WDKH-40060RW	6175410	40 x 60 x 2000 mm	Pure white
WDKH-40060LGR	6175466	40 x 60 x 2000 mm	Light grey
WDKH-40060SW	6175480	40 x 60 x 2000 mm	Jet black
WDK40090GR	6021018	40 x 90 x 2000 mm	Stone grey
WDK40090CW	6020895	40 x 90 x 2000 mm	Cream white
WDK40090LGR	6027032	40 x 90 x 2000 mm	Light grey
WDK40090RW	6191142	40 x 90 x 2000 mm	Pure white
WDK40090VW	6191430	40 x 90 x 2000 mm	Traffic white
WDK40110GR	6021034	40 x 110 x 2000 mm	Stone grey
WDK40110CW	6020909	40 x 110 x 2000 mm	Cream white
WDK40110LGR	6027040	40 x 110 x 2000 mm	Light grey
WDK40110RW	6191150	40 x 110 x 2000 mm	Pure white
WDK40110VW	6191433	40 x 110 x 2000 mm	Traffic white

Tab. 16: Technical data: Plastic cable trunking systems (trunking height 40 mm)**Trunking height 60 mm**

Type	Item no.	Dimensions (L x W x H)	Colour
WDK60060GR	6025668	60 x 60 x 2000 mm	Stone grey
WDK60060CW	6021948	60 x 60 x 2000 mm	Cream white
WDK60060LGR	6027105	60 x 60 x 2000 mm	Light grey
WDK60060RW	6191193	60 x 60 x 2000 mm	Pure white
WDK60090CW	6021913	60 x 90 x 2000 mm	Cream white
WDK60090LGR	6027113	60 x 90 x 2000 mm	Light grey
WDK60090RW	6191207	60 x 90 x 2000 mm	Pure white
WDKH-60090RW	6175415	60 x 90 x 2000 mm	Pure white
WDKH-60090LGR	6175469	60 x 90 x 2000 mm	Light grey
WDK60110GR	6022014	60 x 110 x 2000 mm	Stone grey
WDK60110CW	6021840	60 x 110 x 2000 mm	Cream white
WDK60110SW	6022018	60 x 110 x 2000 mm	Jet black
WDK60110LGR	6027121	60 x 110 x 2000 mm	Light grey
WDK60110RW	6191215	60 x 110 x 2000 mm	Pure white
WDKH-60110RW	6175420	60 x 110 x 2000 mm	Pure white
WDKH-60110LGR	6175472	60 x 110 x 2000 mm	Light grey
WDK60130RW	6191223	60 x 130 x 2000 mm	Pure white
WDK60130CW	6021859	60 x 130 x 2000 mm	Cream white
WDK60130LGR	6027148	60 x 130 x 2000 mm	Light grey
WDK60130GR	6022022	60 x 130 x 2000 mm	Stone grey
WDK60150GR	6022030	60 x 150 x 2000 mm	Stone grey
WDK60150CW	6021883	60 x 150 x 2000 mm	Cream white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK60150LGR	6027156	60 x 150 x 2000 mm	Light grey
WDK60150RW	6191231	60 x 150 x 2000 mm	Pure white
WDKH-60150RW	6175425	60 x 150 x 2000 mm	Pure white
WDKH-60150LGR	6175475	60 x 150 x 2000 mm	Light grey
WDK60170GR	6022049	60 x 170 x 2000 mm	Stone grey
WDK60170CW	6021867	60 x 170 x 2000 mm	Cream white
WDK60170LGR	6027164	60 x 170 x 2000 mm	Light grey
WDK60170RW	6191258	60 x 170 x 2000 mm	Pure white
WDK60210GR	6022065	60 x 210 x 2000 mm	Stone grey
WDK60210CW	6021875	60 x 210 x 2000 mm	Cream white
WDK60210LGR	6027172	60 x 210 x 2000 mm	Light grey
WDK60210RW	6191266	60 x 210 x 2000 mm	Pure white
WDK60230CW	6021891	60 x 230 x 2000 mm	Cream white
WDK60230LGR	6027180	60 x 230 x 2000 mm	Light grey
WDK60230RW	6191274	60 x 230 x 2000 mm	Pure white
WDK60230RW 1200	6191275	60 x 230 x 2000 mm	Pure white

Tab. 17: Technical data: Plastic cable trunking systems (trunking height 60 mm)

Trunking height 80 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK80170GR	6026184	80 x 170 x 2000 mm	Stone grey
WDK80170CW	6026176	80 x 170 x 2000 mm	Cream white
WDK80170LGR	6027229	80 x 170 x 2000 mm	Light grey
WDK80170RW	6191304	80 x 170 x 2000 mm	Pure white
WDK80170VW	6191457	80 x 170 x 2000 mm	Traffic white
WDK80210GR	6026192	80 x 210 x 2000	Stone grey
WDK80210CW	6026206	80 x 210 x 2000	Cream white
WDK80210LGR	6027237	80 x 210 x 2000	Light grey
WDK80210RW	6191312	80 x 210 x 2000	Pure white

Tab. 18: Technical data: Plastic cable trunking systems (trunking height 80 mm)

Trunking height 100 mm

Type	Item no.	Dimensions (L x W x H)	Colour
WDK100130GR	6026281	100 x 130 x 2000 mm	Stone grey
WDK100130CW	6026273	100 x 130 x 2000 mm	Cream white
WDK100130LGR	6027245	100 x 130 x 2000 mm	Light grey
WDK100130RW	6191347	100 x 130 x 2000 mm	Pure white
WDK100230GR	6026311	100 x 230 x 2000 mm	Stone grey
WDK100230CW	6026338	100 x 230 x 2000 mm	Cream white
WDK100230LGR	6027253	100 x 230 x 2000 mm	Light grey

Type	Item no.	Dimensions (L x W x H)	Colour
WDK100230RW	6191355	100 x 230 x 2000 mm	Pure white

Tab. 19: Technical data: Plastic cable trunking systems (trunking height 100 mm)

5.2.1 Fittings

Joint cover

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HS10020CW	6152007	10 x 20 mm	Cream white
WDK HS10020RW	6154026	10 x 20 mm	Pure white
WDK HS10020VW	6193480	10 x 20 mm	Traffic white
WDK HS10030CW	6152015	10 x 30 mm	Cream white
WDK HS10030RW	6154034	10 x 30 mm	Pure white
WDK HS12022RW	6154042	16 x 24 x 13 mm	Pure white
WDK HS13025RW	6193498	15 x 27 x 50 mm	Pure white
WDK HS13025PW	6193496	15 x 27 x 50 mm	Oyster white
WDK HS15030GR	6158838	15 x 30 mm	Stone grey
WDK HS15030CW	6152031	15 x 30 mm	Cream white
WDK HS15030RW	6193501	15 x 30 mm	Pure white
WDK HS15040GR	6158846	15 x 40 mm	Stone grey
WDK HS15040CW	6152058	15 x 40 mm	Cream white
WDK HS15040RW	6193528	15 x 40 mm	Pure white
WDK HS20050CW	6152104	20 x 50 mm	Cream white
WDK HS20050RW	6154069	20 x 50 mm	Pure white
WDK HS25040GR	6158889	25 x 40 mm	Stone grey
WDK HS25040CW	6152082	25 x 40 mm	Cream white
WDK HS25040RW	6193560	25 x 40 mm	Pure white
WDK HS40090RW	6193580	42 x 93 x 18 mm	Pure white
WDK HS40090CW	6193582	42 x 93 x 18 mm	Cream white
WDK HS40110RW	6193586	42 x 113 x 18 mm	Pure white
WDK HS40110CW	6193588	42 x 113 x 18 mm	Cream white
WDK HS60090RW	6193590	62 x 93 x 18 mm	Pure white
WDK HS60090CW	6193592	62 x 93 x 18 mm	Cream white
WDK HS60110RW	6193596	62 x 113 x 18 mm	Pure white
WDK HS60110CW	6193598	62 x 113 x 18 mm	Cream white

Tab. 20: Technical data: Joint covers

Internal corner/internal corner cover

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HI10020CW	6153003	10 x 20 mm	Cream white
WDK HI10020RW	6154328	10 x 20 mm	Pure white
WDK HI10020VW	6192120	10 x 20 mm	Traffic white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDKH-I10020RW	6175572	10 x 20 mm	Pure white
WDKH-I10020RW	6176216	10 x 20 mm	Pure white
WDK HI10030CW	6153011	10 x 30 mm	Cream white
WDK HI10030RW	6154336	10 x 30 mm	Pure white
WDK HI10030VW	6192121	10 x 30 mm	Traffic white
WDK HI12022RW	6154342	33 x 26 x 33 mm	Pure white
WDK HI13025RW	6191835	15 x 40 x 40 mm	Pure white
WDK HI13025PW	6191833	15 x 40 x 40 mm	Oyster white
WDK HI15030GR	6158234	15 x 30 mm	Stone grey
WDK HI15030CW	6160026	15 x 30 mm	Cream white
WDK HI15030RW	6191843	15 x 30 mm	Pure white
WDK HI15030RW	6191843	15 x 30 mm	Pure white
WDKH-I15030RW	6175578	15 x 30 mm	Pure white
WDKH-I15030RW	6176218	15 x 30 mm	Pure white
WDK HI15040GR	6158242	15 x 40 mm	Stone grey
WDK HI15040CW	6160034	15 x 40 mm	Cream white
WDK HI15040RW	6191851	15 x 40 mm	Pure white
WDK HI15040VW	6192124	15 x 40 mm	Traffic white
WDK HI20020GR	6158226	20 x 20 mm	Stone grey
WDK HI20020CW	6160018	20 x 20 mm	Cream white
WDK HI20020LGR	6182011	20 x 20 mm	Light grey
WDK HI20020RW	6191878	20 x 20 mm	Pure white
WDK HI20020VW	6192126	20 x 20 mm	Traffic white
WDKH-I20020RW	6175581	20 x 20 mm	Pure white
WDKH-I20020RW	6176220	20 x 20 mm	Pure white
WDK HI20050CW	6153089	20 x 50 mm	Cream white
WDK HI20050RW	6154360	20 x 50 mm	Pure white
WDK HI20050VW	6192127	20 x 50 mm	Traffic white
WDK HI25025GR	6158250	25 x 25 mm	Stone grey
WDK HI25025CW	6160042	25 x 25 mm	Cream white
WDK HI25025LGR	6182062	25 x 25 mm	Light grey
WDK HI25025RW	6191886	25 x 25 mm	Pure white
WDK HI25025VW	6192128	25 x 25 mm	Traffic white
WDK HI25040GR	6158269	25 x 40 mm	Stone grey
WDK HI25040CW	6160050	25 x 40 mm	Cream white
WDK HI25040RW	6191894	25 x 40 mm	Pure white
WDK HI25040VW	6192129	25 x 40 mm	Traffic white
WDK HI30030GR	6158285	30 x 30 mm	Stone grey
WDK HI25040SW	6191760	25 x 40 mm	Jet black
WDK HI30030CW	6160077	30 x 30 mm	Cream white
WDK HI30030LGR	6182097	30 x 30 mm	Light grey

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HI30030RW	6191924	30 x 30 mm	Pure white
WDK HI30030VW	6193840	30 x 30 mm	Traffic white
WDK HI30045GR	6158307	30 x 45 mm	Stone grey
WDK HI30045CW	6160085	30 x 45 mm	Cream white
WDK HI30045LGR	6182100	30 x 45 mm	Light grey
WDK HI30045RW	6191932	30 x 45 mm	Pure white
WDK HI30045VW	6193842	30 x 45 mm	Traffic white
WDKH-I30045RW	6175590	30 x 45 mm	Pure white
WDKH-I30045LGR	6175968	30 x 45 mm	Light grey
WDK HI40040GR	6158293	40 x 40 mm	Stone grey
WDK HI40040CW	6160093	40 x 40 mm	Cream white
WDK HI40040LGR	6182119	40 x 40 mm	Light grey
WDK HI40040RW	6191940	40 x 40 mm	Pure white
WDK HI40040VW	6192131	40 x 40 mm	Traffic white
WDK HI40060GR	6021719	40 x 60 mm	Stone grey
WDK HI40060CW	6160107	40 x 60 mm	Cream white
WDK HI40060LGR	6182127	40 x 60 mm	Light grey
WDK HI40060RW	6191959	40 x 60 mm	Pure white
WDK HI40060VW	6192132	40 x 60 mm	Traffic white
WDK HI40060SW	6191762	40 x 60 mm	Jet black
WDKH-I40060RW	6175594	40 x 60 mm	Pure white
WDKH-I40060LGR	6175972	40 x 60 mm	Light grey
WDK HI40090GR	6021190	40 x 90 mm	Stone grey
WDK HI40090CW	6160115	40 x 90 mm	Cream white
WDK HI40090LGR	6182135	40 x 90 mm	Light grey
WDK HI40090RW	6191967	40 x 90 mm	Pure white
WDK HI40090VW	6192135	40 x 90 mm	Traffic white
WDK HI40110GR	6021727	40 x 110 mm	Stone grey
WDK HI40110CW	6160123	40 x 110 mm	Cream white
WDK HI40110LGR	6182143	40 x 110 mm	Light grey
WDK HI40110RW	6191975	40 x 110 mm	Pure white
WDK HI40110VW	6192136	40 x 110 mm	Traffic white
WDK HI60060GR	6022383	60 x 60 mm	Stone grey
WDK HI60060CW	6160301	60 x 60 mm	Cream white
WDK HI60060LGR	6182194	60 x 60 mm	Light grey
WDK HI60060RW	6192017	60 x 60 mm	Pure white
WDK HI60060VW	6193844	60 x 60 mm	Traffic white
WDK HI60090GR	6022219	60 x 90 mm	Stone grey
WDK HI60090CW	6160328	60 x 90 mm	Cream white
WDK HI60090LGR	6182208	60 x 90 mm	Light grey
WDK HI60090RW	6192025	60 x 90 mm	Pure white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HI60090VW	6193847	60 x 90 mm	Traffic white
WDKH-I60090RW	6175598	60 x 90 mm	Pure white
WDKH-I60090LGR	6175976	60 x 90 mm	Light grey
WDK HI60110GR	6022235	60 x 110 mm	Stone grey
WDK HI60110CW	6160336	60 x 110 mm	Cream white
WDK HI60110LGR	6182216	60 x 110 mm	Light grey
WDK HI60110RW	6192033	60 x 110 mm	Pure white
WDK HI60110VW	6193849	60 x 110 mm	Traffic white
WDK HI60110SW	6191764	60 x 110 mm	Jet black
WDKH-I60110RW	6175602	60 x 110 mm	Pure white
WDKH-I60110LGR	6175980	60 x 110 mm	Light grey
WDK HI60130GR	6022251	60 x 130 mm	Stone grey
WDK HI60130CW	6160344	60 x 130 mm	Cream white
WDK HI60130LGR	6182224	60 x 130 mm	Light grey
WDK HI60130RW	6192041	60 x 130 mm	Pure white
WDK HI60130VW	6193851	60 x 130 mm	Traffic white
WDK HI60150GR	6024432	60 x 150 mm	Stone grey
WDK HI60150CW	6160379	60 x 150 mm	Cream white
WDK HI60150LGR	6182232	60 x 150 mm	Light grey
WDK HI60150RW	6192068	60 x 150 mm	Pure white
WDK HI60150VW	6193853	60 x 150 mm	Traffic white
WDKH-I60150RW	6175606	60 x 150 mm	Pure white
WDKH-I60150LGR	6175984	60 x 150 mm	Light grey
WDK HI60170GR	6022286	60 x 170 mm	Stone grey
WDK HI60170CW	6160352	60 x 170 mm	Cream white
WDK HI60170LGR	6182240	60 x 170 mm	Light grey
WDK HI60170RW	6192076	60 x 170 mm	Pure white
WDK HI60170VW	6193855	60 x 170 mm	Traffic white
WDK HI60210GR	6022294	60 x 210 mm	Stone grey
WDK HI60210CW	6160360	60 x 210 mm	Cream white
WDK HI60210LGR	6182259	60 x 210 mm	Light grey
WDK HI60210RW	6192084	60 x 210 mm	Pure white
WDK HI60210VW	6193857	60 x 210 mm	Traffic white
WDK HI60230GR	6024440	60 x 230 mm	Stone grey
WDK HI60230CW	6160395	60 x 230 mm	Cream white
WDK HI60230LGR	6182267	60 x 230 mm	Light grey
WDK HI60230RW	6192092	60 x 230 mm	Pure white
WDK HI60230VW	6193859	60 x 230 mm	Traffic white
WDK I80170GR	6193080	329 x 170 x 80 mm	Stone grey
WDK I80170CW	6193078	329 x 170 x 80 mm	Cream white
WDK I80170LGR	6193825	329 x 170 x 80 mm	Light grey

Type	Item no.	Dimensions (L x W x H)	Colour
WDK I80170RW	6193827	329 x 170 x 80 mm	Pure white
WDK I80170VW	6193829	329 x 170 x 80 mm	Traffic white
WDK I80210GR	6193860	329 x 210 x 80 mm	Stone grey
WDK I80210CW	6193831	329 x 210 x 80 mm	Cream white
WDK I80210LGR	6193864	329 x 210 x 80 mm	Light grey
WDK I80210RW	6193866	329 x 210 x 80 mm	Pure white
WDK I80210VW	6193868	329 x 210 x 80 mm	Traffic white
WDK I100130GR	6192421	250 x 130 x 100 mm	Stone grey
WDK I100130CW	6192417	250 x 130 x 100 mm	Cream white
WDK I100130LGR	6192425	250 x 130 x 100 mm	Light grey
WDK I100130RW	6192429	250 x 130 x 100 mm	Pure white
WDK I100130VW	6193022	250 x 130 x 100 mm	Traffic white
WDK I100230GR	6193030	250 x 230 x 100 mm	Stone grey
WDK I100230CW	6193026	250 x 230 x 100 mm	Cream white
WDK I100230LGR	6193034	250 x 230 x 100 mm	Light grey
WDK I100230RW	6193081	250 x 230 x 100 mm	Pure white
WDK I100230VW	6193076	250 x 230 x 100 mm	Traffic white

Tab. 21: Technical data: Internal corner/internal corner cover**External corner/external corner cover**

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HA10020CW	6153291	10 x 20 mm	Cream white
WDK HA10020RW	6154417	10 x 20 mm	Pure white
WDK HA10020VW	6192430	10 x 20 mm	Traffic white
WDKH-A10020RW	6175612	10 x 20 mm	Pure white
WDKH-A10020RW	6176222	10 x 20 mm	Pure white
WDK HA10030CW	6153305	10 x 30 mm	Cream white
WDK HA10030RW	6154425	10 x 30 mm	Pure white
WDK HA10030VW	6192432	10 x 30 mm	Traffic white
WDK HA12022RW	6154432	27 x 26 x 27 mm	Pure white
WDK HA13025RW	6192141	15 x 40 x 40 mm	Pure white
WDK HA13025PW	6192139	15 x 40 x 40 mm	perlweiß
WDK HA15030GR	6158358	15 x 30 mm	Stone grey
WDK HA15030CW	6160611	15 x 30 mm	Cream white
WDK HA15030RW	6192149	15 x 30 mm	Pure white
WDK HA15030VW	6192433	15 x 30 mm	Traffic white
WDKH-A15030RW	6175618	15 x 30 mm	Pure white
WDKH-A15030RW	6176224	15 x 30 mm	Pure white
WDK HA15040GR	6158366	15 x 40 mm	Stone grey
WDK HA15040CW	6160638	15 x 40 mm	Cream white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HA15040RW	6192157	15 x 40 mm	Pure white
WDK HA15040VW	6192434	15 x 40 mm	Traffic white
WDK HA20020GR	6158331	20 x 20 mm	Stone grey
WDK HA20020CW	6160603	20 x 20 mm	Cream white
WDK HA20020LGR	6182402	20 x 20 mm	Light grey
WDK HA20020RW	6192165	20 x 20 mm	Pure white
WDK HA20020VW	6192436	20 x 20 mm	Traffic white
WDKH-A20020RW	6175624 2	20 x 20 mm	Pure white
WDKH-A20020LGR	6176000	20 x 20 mm	Light grey
WDKH-A20020RW	6176226	20 x 20 mm	Pure white
WDK HA20050CW	6153372	20 x 50 mm	Cream white
WDK HA20050RW	6154468	20 x 50 mm	Pure white
WDK HA20050VW	6192437	20 x 50 mm	Traffic white
WDK HA25025GR	6158374	25 x 25 mm	Stone grey
WDK HA25025CW	6160646	25 x 25 mm	Cream white
WDK HA25025LGR	6182445	25 x 25 mm	Light grey
WDK HA25025RW	6192173	25 x 25 mm	Pure white
WDK HA25025VW	6193800	25 x 25 mm	Traffic white
WDK HA25040GR	6158382	25 x 40 mm	Stone grey
WDK HA25040CW	6160654	25 x 40 mm	Cream white
WDK HA25040RW	6192181	25 x 40 mm	Pure white
WDK HA25040VW	6193802	25 x 40 mm	Traffic white
WDK HA25040SW	6191774	25 x 40 mm	Jet black
WDK HA30030GR	6158404	30 x 30 mm	Stone grey
WDK HA30030CW	6160670	30 x 30 mm	Cream white
WDK HA30030LGR	6182488	30 x 30 mm	Light grey
WDK HA30030RW	6192211	30 x 30 mm	Pure white
WDK HA30030VW	6193804	30 x 30 mm	Traffic white
WDK HA30045GR	6158420	30 x 45 mm	Stone grey
WDK HA30045CW	6160689	30 x 45 mm	Cream white
WDK HA30045LGR	6182496	30 x 45 mm	Light grey
WDK HA30045RW	6192238	30 x 45 mm	Pure white
WDK HA30045VW	6193806	30 x 45 mm	Traffic white
WDKH-A30045RW	6175626	30 x 45 mm	Pure white
WDKH-A30045LGR	6176004	30 x 45 mm	Light grey
WDK HA40040GR	6158412	40 x 40 mm	Stone grey
WDK HA40040CW	6160697	40 x 40 mm	Cream white
WDK HA40040LGR	6182526	40 x 40 mm	Light grey
WDK HA40040RW	6192246	40 x 40 mm	Pure white
WDK HA40040VW	6192438	40 x 40 mm	Traffic white
WDK HA40060GR	6021697	40 x 60 mm	Stone grey

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HA40060CW	6160700	40 x 60 mm	Cream white
WDK HA40060LGR	6182534	40 x 60 mm	Light grey
WDK HA40060RW	6192254	40 x 60 mm	Pure white
WDK HA40060VW	6192439	40 x 60 mm	Traffic white
WDK HA40060SW	6191776	40 x 60 mm	Jet black
WDK HA60110SW	6191778	60 x 110 mm	Jet black
WDKH-A40060RW	6175630	40 x 60 mm	Pure white
WDKH-A40060LGR	6176008	40 x 60 mm	Light grey
WDK HA40090GR	6021093	40 x 90 mm	Stone grey
WDK HA40090CW	6160719	40 x 90 mm	Cream white
WDK HA40090LGR	6182542	40 x 90 mm	Light grey
WDK HA40090RW	6192262	40 x 90 mm	Pure white
WDK HA40090VW	6192440	40 x 90 mm	Traffic white
WDK HA40110GR	6021700	40 x 110 mm	Stone grey
WDK HA40110CW	6160727	40 x 110 mm	Cream white
WDK HA40110LGR	6182550	40 x 110 mm	Light grey
WDK HA40110RW	6192270	40 x 110 mm	Pure white
WDK HA40110VW	6192441	40 x 110 mm	Traffic white
WDK HA60060GR	6022073	60 x 60 mm	Stone grey
WDK HA60060CW	6160905	60 x 60 mm	Cream white
WDK HA60060LGR	6182593	60 x 60 mm	Light grey
WDK HA60060RW	6192319	60 x 60 mm	Pure white
WDK HA60060VW	6193808	60 x 60 mm	Traffic white
WDK HA60090GR	6022111	60 x 90 mm	Stone grey
WDK HA60090CW	6160913	60 x 90 mm	Cream white
WDK HA60090LGR	6182607	60 x 90 mm	Light grey
WDK HA60090RW	6192327	60 x 90 mm	Pure white
WDK HA60090VW	6193810	60 x 90 mm	Traffic white
WDKH-A60090RW	6175634	60 x 90 mm	Pure white
WDKH-A60090LGR	6176012	60 x 90 mm	Light grey
WDK HA60110GR	6022146	60 x 110 mm	Stone grey
WDK HA60110CW	6160921	60 x 110 mm	Cream white
WDK HA60110LGR	6182615	60 x 110 mm	Light grey
WDK HA60110RW	6192335	60 x 110 mm	Pure white
WDK HA60110VW	6193812	60 x 110 mm	Traffic white
WDKH-A60110RW	6175638	60 x 110 mm	Pure white
WDKH-A60110LGR	6176016	60 x 110 mm	Light grey
WDK HA60130GR	6022162	60 x 130 mm	Stone grey
WDK HA60130CW	6160948	60 x 130 mm	Cream white
WDK HA60130LGR	6182623	60 x 130 mm	Light grey
WDK HA60130RW	6192343	60 x 130 mm	Pure white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HA60130VW	6193814	60 x 130 mm	Traffic white
WDK HA60150GR	6024521	60 x 150 mm	Stone grey
WDK HA60150CW	6160972	60 x 150 mm	Cream white
WDK HA60150LGR	6182631	60 x 150 mm	Light grey
WDK HA60150RW	6192351	60 x 150 mm	Pure white
WDK HA60150VW	6193816	60 x 150 mm	Traffic white
WDKH-A60150RW	6175642	60 x 150 mm	Pure white
WDKH-A60150LGR	6176020	60 x 150 mm	Light grey
WDK HA60170GR	6022189	60 x 170 mm	Stone grey
WDK HA60170CW	6160956	60 x 170 mm	Cream white
WDK HA60170LGR	6182658	60 x 170 mm	Light grey
WDK HA60170RW	6192378	60 x 170 mm	Pure white
WDK HA60170VW	6193818	60 x 170 mm	Traffic white
WDK HA60210GR	6022197	60 x 210 mm	Stone grey
WDK HA60210CW	6160964	60 x 210 mm	Cream white
WDK HA60210LGR	6182666	60 x 210 mm	Light grey
WDK HA60210RW	6192386	60 x 210 mm	Pure white
WDK HA60210VW	6193820	60 x 210 mm	Traffic white
WDK HA60230GR	6024548	60 x 230 mm	Stone grey
WDK HA60230CW	6160980	60 x 230 mm	Cream white
WDK HA60230LGR	6182674	60 x 230 mm	Light grey
WDK HA60230RW	6192394	60 x 230 mm	Pure white
WDK HA60230VW	6193822	60 x 230 mm	Traffic white
WDK A80170GR	6024689	250 x 170 x 80 mm	Stone grey
WDK A80170CW	6024654	250 x 170 x 80 mm	Cream white
WDK A80170LGR	6160485	250 x 170 x 80 mm	Light grey
WDK A80170RW	6160493	250 x 170 x 80 mm	Pure white
WDK A80170VW	6160523	250 x 170 x 80 mm	Traffic white
WDK A80210GR	6161104	329 x 210 x 80 mm	Stone grey
WDK A80210CW	6160550	329 x 210 x 80 mm	Cream white
WDK A80210LGR	6161112	329 x 210 x 80 mm	Light grey
WDK A80210RW	6161155	329 x 210 x 80 mm	Pure white
WDK A80210VW	6161171	329 x 210 x 80 mm	Traffic white
WDK A100130GR	6024476	348 x 130 x 100 mm	Stone grey
WDK A100130CW	6024468	348 x 130 x 100 mm	Cream white
WDK A100130LGR	6024484	348 x 130 x 100 mm	Light grey
WDK A100130RW	6024506	348 x 130 x 100 mm	Pure white
WDK A100130VW	6024565	348 x 130 x 100 mm	Traffic white
WDK A100230GR	6024581	348 x 230 x 100 mm	Stone grey
WDK A100230CW	6024573	348 x 230 x 100 mm	Cream white
WDK A100230LGR	6024611	348 x 230 x 100 mm	Light grey

Type	Item no.	Dimensions (L x W x H)	Colour
WDK A100230RW	6024630	348 x 230 x 100 mm	Pure white
WDK A100230VW	6024638	348 x 230 x 100 mm	Traffic white

Tab. 22: Technical data: Internal corner/internal corner cover**T piece/T piece cover**

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HT10020CW	6152309	10 x 20 mm	Cream white
WDK HT10020RW	6154115	10 x 20 mm	Pure white
WDKH-T10020RW	6175684	10 x 20 mm	Pure white
WDKH-T10020RW	6176234	10 x 20 mm	Pure white
WDK HT10030CW	6152317	10 x 30 mm	Cream white
WDK HT10030RW	6154123	10 x 30 mm	Pure white
WDK HT12022RW	6154132	39 x 45 x 14 mm	Pure white
WDK HT15030GR	6158463	15 x 30 mm	Stone grey
WDK HT15030CW	6161928	15 x 30 mm	Cream white
WDK HT15030RW	6192459	15 x 30 mm	Pure white
WDK HT15030VW	6193880	15 x 30 mm	Traffic white
WDKH-T15030RW	6175690	15 x 30 mm	Pure white
WDKH-T15030RW	6176236	15 x 30 mm	Pure white
WDK HT15040GR	6158471	15 x 40 mm	Stone grey
WDK HT15040CW	6161936	15 x 40 mm	Cream white
WDK HT15040RW	6192467	15 x 40 mm	Pure white
WDK HT15040VW	6193882	15 x 40 mm	Traffic white
WDK HT20020GR	6158455	20 x 20 mm	Stone grey
WDK HT20020CW	6161901	20 x 20 mm	Cream white
WDK HT20020LGR	6182801	20 x 20 mm	Light grey
WDK HT20020RW	6192475	20 x 20 mm	Pure white
WDK HT20020VW	6193884	20 x 20 mm	Traffic white
WDKH-T20020RW	6175694	20 x 20 mm	Pure white
WDKH-T20020LGR	6176072	20 x 20 mm	Light grey
WDKH-T20020RW	6176238	20 x 20 mm	Pure white
WDK HT20050CW	6152384	20 x 50 mm	Cream white
WDK HT20050RW	6154166	20 x 50 mm	Pure white
WDK HT25025GR	6158498	25 x 25 mm	Stone grey
WDK HT25025CW	6161944	25 x 25 mm	Cream white
WDK HT25025LGR	6182852	25 x 25 mm	Light grey
WDK HT25025RW	6192483	25 x 25 mm	Pure white
WDK HT25025VW	6193886	25 x 25 mm	Traffic white
WDK HT25040GR	6158501	25 x 40 mm	Stone grey
WDK HT25040CW	6161952	25 x 40 mm	Cream white
WDK HT25040RW	6192491	25 x 40 mm	Pure white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HT25040VW	6193888	25 x 40 mm	Traffic white
WDK HT30030GR	6158536	30 x 30 mm	Stone grey
WDK HT30030CW	6161979	30 x 30 mm	Cream white
WDK HT30030LGR	6182887	30 x 30 mm	Light grey
WDK HT30030RW	6192513	30 x 30 mm	Pure white
WDK HT30030VW	6193890	30 x 30 mm	Traffic white
WDK HT30045GR	6158552	30 x 45 mm	Stone grey
WDK HT30045CW	6161987	30 x 45 mm	Cream white
WDK HT30045LGR	6182895	30 x 45 mm	Light grey
WDK HT30045RW	6192521	30 x 45 mm	Pure white
WDK HT30045VW	6193892	30 x 45 mm	Traffic white
WDKH-T30045RW	6175698	30 x 45 mm	Pure white
WDKH-T30045LGR	6176076	30 x 45 mm	Light grey
WDK T80170GR	6193414	400 x 170 x 80 mm	Stone grey
WDK T80170CW	6193404	400 x 170 x 80 mm	Cream white
WDK T80170LGR	6163094	400 x 170 x 80 mm	Light grey
WDK T80170RW	6183994	400 x 170 x 80 mm	Pure white
WDK T80170VW	6024914	400 x 170 x 80 mm	Traffic white
WDK T80210GR	6193415	400 x 210 x 80 mm	Stone grey
WDK T80210CW	6193406	400 x 210 x 80 mm	Cream white
WDK T80210LGR	6163096	400 x 210 x 80 mm	Light grey
WDK T80210RW	6183996	400 x 210 x 80 mm	Pure white
WDK T80210VW	6024916	400 x 210 x 80 mm	Traffic white
WDK T100130GR	6193410	400 x 130 x 100 mm	Stone grey
WDK T100130CW	6193400	400 x 130 x 100 mm	Cream white
WDK T100130LGR	6163090	400 x 130 x 100 mm	Light grey
WDK T100130RW	6183990	400 x 130 x 100 mm	Pure white
WDK T100130VW	6024910	400 x 130 x 100 mm	Traffic white
WDK T100230GR	6193412	600 x 230 x 100 mm	Stone grey
WDK T100230CW	6193402	600 x 230 x 100 mm	Cream white
WDK T100230LGR	6163092	600 x 230 x 100 mm	Light grey
WDK T100230RW	6183992	600 x 230 x 100 mm	Pure white
WDK T100230VW	6024912	600 x 230 x 100 mm	Traffic white

Tab. 23: Technical data: T piece/T piece cover

T and cross piece/T and cross piece cover

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HT40040GR	6158544	40 x 40 mm	Stone grey
WDK HT40040CW	6161995	40 x 40 mm	Cream white
WDK HT40040LGR	6182917	40 x 40 mm	Light grey
WDK HT40040RW	6192548	40 x 40 mm	Pure white

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HT40040VW	6193896	40 x 40 mm	Traffic white
WDK HK40060GR	6023312	40 x 40 mm	Stone grey
WDK HK40060CW	6162002	40 x 40 mm	Cream white
WDK HK40060LGR	6182925	40 x 60 mm	Light grey
WDK HK40060RW	6192556	40 x 60 mm	Pure white
WDK HK40060VW	6193898	40 x 60 mm	Traffic white
WDKH-T40060RW	6175702	40 x 60 mm	Pure white
WDKH-T40060LGR	6176080	40 x 60 mm	Light grey
WDK HK40090GR	6023142	40 x 90 mm	Stone grey
WDK HK40090CW	6162010	40 x 90 mm	Cream white
WDK HK40090LGR	6182933	40 x 90 mm	Light grey
WDK HK40090RW	6192564	40 x 90 mm	Pure white
WDK HK40090VW	6193902	40 x 90 mm	Traffic white
WDK HK40110GR	6023339	40 x 110 mm	Stone grey
WDK HK40110CW	6162029	40 x 110 mm	Cream white
WDK HK40110LGR	6182941	40 x 110 mm	Light grey
WDK HK40110RW	6192572	40 x 110 mm	Pure white
WDK HK40110VW	6193904	40 x 110 mm	Traffic white
WDK HK60060GR	6023223	60 x 60 mm	Stone grey
WDK HK60060LGR	6183018	60 x 60 mm	Light grey
WDK HK60060RW	6192610	60 x 60 mm	Pure white
WDK HK60060VW	6193906	60 x 60 mm	Traffic white
WDK HK60060CW	6162207	60 x 60 mm	Cream white
WDK HK60090GR	6023002	60 x 90 mm	Stone grey
WDK HK60090CW	6162215	60 x 90 mm	Cream white
WDK HK60090LGR	6183026	60 x 90 mm	Light grey
WDK HK60090RW	6192629	60 x 90 mm	Pure white
WDK HK60090VW	6193908	60 x 90 mm	Traffic white
WDKH-T60090RW	6175706	60 x 90 mm	Pure white
WDKH-T60090LGR	6176084	60 x 90 mm	Light grey
WDK HK60110GR	6023029	60 x 110 mm	Stone grey
WDK HK60110CW	6162223	60 x 110 mm	Cream white
WDK HK60110LGR	6183034	60 x 110 mm	Light grey
WDK HK60110RW	6192637	60 x 110 mm	Pure white
WDK HK60110VW	6193910	60 x 110 mm	Traffic white
WDKH-T60110RW	6175710	60 x 110 mm	Pure white
WDKH-T60110LGR	6176088	60 x 110 mm	Light grey
WDK HK60130GR	6023045	60 x 130 mm	Stone grey
WDK HK60130CW	6162231	60 x 130 mm	Cream white
WDK HK60130LGR	6183042	60 x 130 mm	Light grey
WDK HK60130RW	6192645	60 x 130 mm	Pure white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HK60130VW	6193912	60 x 130 mm	Traffic white
WDK HK60150GR	6024769	60 x 150 mm	Stone grey
WDK HK60150CW	6162274	60 x 150 mm	Cream white
WDK HK60150LGR	6183050	60 x 150 mm	Light grey
WDK HK60150RW	6192653	60 x 150 mm	Pure white
WDK HK60150VW	6193914	60 x 150 mm	Traffic white
WDKH-T60150RW	6175714	60 x 150 mm	Pure white
WDKH-T60150LGR	6176092	60 x 150 mm	Light grey
WDK HK60170GR	6023061	60 x 170 mm	Stone grey
WDK HK60170CW	6162258	60 x 170 mm	Cream white
WDK HK60170LGR	6183069	60 x 170 mm	Light grey
WDK HK60170RW	6192661	60 x 170 mm	Pure white
WDK HK60170VW	6193916	60 x 170 mm	Traffic white
WDK HK60210GR	6023126	60 x 210 mm	Stone grey
WDK HK60210CW	6162266	60 x 210 mm	Cream white
WDK HK60210LGR	6183077	60 x 210 mm	Light grey
WDK HK60210RW	6192688	60 x 210 mm	Pure white
WDK HK60210VW	6193918	60 x 210 mm	Traffic white
WDK HK60230GR	6024777	60 x 230 mm	Stone grey
WDK HK60230CW	6162290	60 x 230 mm	Cream white
WDK HK60230LGR	6183085	60 x 230 mm	Light grey
WDK HK60230RW	6192696	60 x 230 mm	Pure white
WDK HK60230VW	6193920	60 x 230 mm	Traffic white

Tab. 24: Technical data: T and cross piece/T and cross piece cover

Flat angle/flat angle cover

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HF10020CW	6152600	10 x 20 mm	Cream white
WDK HF10020RW	6154212	10 x 20 mm	Pure white
WDK HF10020VW	6193036	10 x 20 mm	Traffic white
WDKH-F10020RW	6175648	10 x 20 mm	Pure white
WDKH-F10020RW	6176228	10 x 20 mm	Pure white
WDK HF10030CW	6152619	10 x 30 mm	Cream white
WDK HF10030RW	6154220	10 x 30 mm	Pure white
WDK HF10030VW	6193038	10 x 30 mm	Traffic white
WDK HF12022RW	6154232	10 x 30 mm	Pure white
WDK HF13025RW	6192742	15 x 50 x 50 mm	Pure white
WDK HF13025PW	6192740	15 x 50 x 50 mm	perlweiß
WDK HF15030GR	6158595	15 x 30 mm	Stone grey
WDK HF15030CW	6161219	15 x 30 mm	Cream white
WDK HF15030RW	6192750	15 x 30 mm	Pure white

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HF15030VW	6193040	15 x 30 mm	Traffic white
WDKH-F15030RW	6175654	15 x 30 mm	Pure white
WDKH-F15030RW	6176230	15 x 30 mm	Pure white
WDK HF15040GR	6158609	15 x 40 mm	Stone grey
WDK HF15040CW	6161227	15 x 40 mm	Cream white
WDK HF15040RW	6192769	15 x 40 mm	Pure white
WDK HF15040VW	6193041	15 x 40 mm	Traffic white
WDK HF20020GR	6158587	20 x 20 mm	Stone grey
WDK HF20020CW	6161200	20 x 20 mm	Cream white
WDK HF20020LGR	6183212	20 x 20 mm	Light grey
WDK HF20020RW	6192777	20 x 20 mm	Pure white
WDK HF20020VW	6193043	20 x 20 mm	Traffic white
WDKH-F20020RW	6175658	20 x 20 mm	Pure white
WDKH-F20020LGR	6176036	20 x 20 mm	Light grey
WDKH-F20020RW	6176232	20 x 20 mm	Pure white
WDK HF20050CW	6152686	20 x 50 mm	Cream white
WDK HF20050RW	6154255	20 x 50 mm	Pure white
WDK HF20050VW	6193044	20 x 50 mm	Traffic white
WDK HF25025GR	6158617	25 x 25 mm	Stone grey
WDK HF25025CW	6161235	25 x 25 mm	Cream white
WDK HF25025LGR	6183255	25 x 25 mm	Light grey
WDK HF25025RW	6192785	25 x 25 mm	Pure white
WDK HF25025VW	6193045	25 x 25 mm	Traffic white
WDK HF25040GR	6158625	25 x 40 mm	Stone grey
WDK HF25040CW	6161243	25 x 40 mm	Cream white
WDK HF25040RW	6192793	25 x 40 mm	Pure white
WDK HF25040VW	6193046	25 x 40 mm	Traffic white
WDK HF25040SW	6191790	25 x 40 mm	Jet black
WDK HF30030GR	6158641	30 x 30 mm	Stone grey
WDK HF30030CW	6161278	30 x 30 mm	Cream white
WDK HF30030LGR	6183298	30 x 30 mm	Light grey
WDK HF30030RW	6192815	30 x 30 mm	Pure white
WDK HF30030VW	6193047	30 x 30 mm	Traffic white
WDK HF30045GR	6158676	30 x 45 mm	Stone grey
WDK HF30045CW	6161286	30 x 45 mm	Cream white
WDK HF30045LGR	6183301	30 x 45 mm	Light grey
WDK HF30045RW	6192823	30 x 45 mm	Pure white
WDK HF30045VW	6193048	30 x 45 mm	Traffic white
WDKH-F30045RW	6175662	30 x 45 mm	Pure white
WDKH-F30045LGR	6176040	30 x 45 mm	Light grey
WDK HF40040GR	6158668	40 x 40 mm	Stone grey

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HF40040CW	6161294	40 x 40 mm	Cream white
WDK HF40040LGR	6183336	40 x 40 mm	Light grey
WDK HF40040RW	6192831	40 x 40 mm	Pure white
WDK HF40040VW	6193050	40 x 40 mm	Traffic white
WDK HF40060GR	6021735	40 x 60 mm	Stone grey
WDK HF40060CW	6161308	40 x 60 mm	Cream white
WDK HF40060LGR	6183344	40 x 60 mm	Light grey
WDK HF40060RW	6192858	40 x 60 mm	Pure white
WDK HF40060VW	6193049	40 x 60 mm	Traffic white
WDK HF40060SW	6191792	40 x 60 mm	Jet black
WDKH-F40060RW	6175666	40 x 60 mm	Pure white
WDKH-F40060LGR	6176044	40 x 60 mm	Light grey
WDK HF40090GR	6021336	40 x 90 mm	Stone grey
WDK HF40090CW	6161316	40 x 90 mm	Cream white
WDK HF40090LGR	6183352	40 x 90 mm	Light grey
WDK HF40090RW	6192866	40 x 90 mm	Pure white
WDK HF40090VW	6193053	40 x 90 mm	Traffic white
WDK HF40110GR	6021743	40 x 110 mm	Stone grey
WDK HF40110CW	6161324	40 x 110 mm	Cream white
WDK HF40110LGR	6183360	40 x 110 mm	Light grey
WDK HF40110RW	6192874	40 x 110 mm	Pure white
WDK HF40110VW	6193055	40 x 110 mm	Traffic white
WDK HF60060GR	6022448	60 x 60 mm	Stone grey
WDK HF60060CW	6161502	60 x 60 mm	Cream white
WDK HF60060LGR	6183409	60 x 60 mm	Light grey
WDK HF60060RW	6192912	60 x 60 mm	Pure white
WDK HF60060VW	6193057	60 x 60 mm	Traffic white
WDK HF60090GR	6022316	60 x 90 mm	Stone grey
WDK HF60090CW	6161510	60 x 90 mm	Cream white
WDK HF60090LGR	6183417	60 x 90 mm	Light grey
WDK HF60090RW	6192920	60 x 90 mm	Pure white
WDK HF60090VW	6193059	60 x 90 mm	Traffic white
WDKH-F60090RW	6175670	60 x 90 mm	Pure white
WDKH-F60090LGR	6176048	60 x 90 mm	Light grey
WDK HF60110GR	6022332	60 x 110 mm	Stone grey
WDK HF60110CW	6161529	60 x 110 mm	Cream white
WDK HF60110LGR	6183425	60 x 110 mm	Light grey
WDK HF60110RW	6192939	60 x 110 mm	Pure white
WDK HF60110VW	6193061	60 x 110 mm	Traffic white
WDK HF60110SW	6191794	60 x 110 mm	Jet black
WDKH-F60110RW	6175674	60 x 110 mm	Pure white

Type	Item no.	Dimensions (L x W x H)	Colour
WDKH-F60110LGR	6176052	60 x 110 mm	Light grey
WDK HF60130GR	6022359	60 x 130 mm	Stone grey
WDK HF60130CW	6161537	60 x 130 mm	Cream white
WDK HF60130LGR	6183433	60 x 130 mm	Light grey
WDK HF60130RW	6192947	60 x 130 mm	Pure white
WDK HF60130VW	6193063	60 x 130 mm	Traffic white
WDK HF60150GR	6024599	60 x 150 mm	Stone grey
WDK HF60150CW	6161561	60 x 150 mm	Cream white
WDK HF60150LGR	6183441	60 x 150 mm	Light grey
WDK HF60150RW	6192955	60 x 150 mm	Pure white
WDK HF60150VW	6193065	60 x 150 mm	Traffic white
WDKH-F60150RW	6175678	60 x 150 mm	Pure white
WDKH-F60150LGR	6176056	60 x 150 mm	Light grey
WDK HF60170GR	6022375	60 x 170 mm	Stone grey
WDK HF60170CW	6161545	60 x 170 mm	Cream white
WDK HF60170LGR	6183468	60 x 170 mm	Light grey
WDK HF60170RW	6192963	60 x 170 mm	Pure white
WDK HF60170VW	6193067	60 x 170 mm	Traffic white
WDK HF60210GR	6022391	60 x 210 mm	Stone grey
WDK HF60210CW	6161553	60 x 210 mm	Cream white
WDK HF60210LGR	6183476	60 x 210 mm	Light grey
WDK HF60210RW	6192971	60 x 210 mm	Pure white
WDK HF60210VW	6193069	60 x 210 mm	Traffic white
WDK HF60230GR	6024602	60 x 230 mm	Stone grey
WDK HF60230CW	6161596	60 x 230 mm	Cream white
WDK HF60230LGR	6183484	60 x 230 mm	Light grey
WDK HF60230RW	6192998	60 x 230 mm	Pure white
WDK HF60230VW	6193071	60 x 230 mm	Traffic white
WDK F80170GR	6182764	470 x 170 x 80 mm	Stone grey
WDK F80170CW	6182748	470 x 170 x 80 mm	Cream white
WDK F80170LGR	6183523	470 x 170 x 80 mm	Light grey
WDK F80170RW	6183531	470 x 170 x 80 mm	Pure white
WDK F80170VW	6183558	470 x 170 x 80 mm	Traffic white
WDK F80210GR	6192107	560,5 x 210 x 80 mm	Stone grey
WDK F80210CW	6183574	560,5 x 210 x 80 mm	Cream white
WDK F80210LGR	6192111	560,5 x 210 x 80 mm	Light grey
WDK F80210RW	6192115	560,5 x 210 x 80 mm	Pure white
WDK F80210VW	6192119	560,5 x 210 x 80 mm	Traffic white
WDK F100130GR	6161716	300 x 130 x 100 mm	Stone grey
WDK F100130CW	6161708	300 x 130 x 100 mm	Cream white
WDK F100130LGR	6161759	300 x 130 x 100 mm	Light grey

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK F100130RW	6161775	300 x 130 x 100 mm	Pure white
WDK F100130VW	6182306	300 x 130 x 100 mm	Traffic white
WDK F100230GR	6182349	400 x 230 x 100 mm	Stone grey
WDK F100230CW	6182314	400 x 230 x 100 mm	Cream white
WDK F100230LGR	6182365	400 x 230 x 100 mm	Light grey
WDK F100230RW	6182713	400 x 230 x 100 mm	Pure white
WDK F100230VW	6182721	400 x 230 x 100 mm	Traffic white

Tab. 25: Technical data: Internal corner/internal corner cover

End piece

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HE10020CW	6153593	10 x 20 mm	Cream white
WDK HE10020RW	6154514	10 x 20 mm	Stone grey
WDK HE10020VW	6193416	10 x 20 mm	Traffic white
WDKH-E10020RW	6175540	10 x 20 mm	Pure white
WDKH-E10020RW	6176210	10 x 20 mm	Pure white
WDK HE10030CW	6153607	10 x 30 mm	Cream white
WDK HE10030RW	6154522	10 x 30 mm	Pure white
WDK HE10030VW	6193418	10 x 30 mm	Traffic white
WDK HE12022RW	6154532	13 x 24 x 13 mm	Pure white
WDK HE13025RW	6193093	13 x 25 x 40 mm	Pure white
WDK HE13025PW	6193088	13 x 25 x 40 mm	Oyster white
WDK HE15015GR	6158692	15 x 15 mm	Stone grey
WDK HE15015CW	6162495	15 x 15 mm	Cream white
WDK HE15015LGR	6183603	15 x 15 mm	Light grey
WDK HE15015RW	6193099	15 x 15 mm	Pure white
WDK HE15015VW	6193420	15 x 15 mm	Traffic white
WDK HE15015SW	6191806	15 x 15 mm	Jet black
WDK HE15030GR	6158714	15 x 30 mm	Stone grey
WDK HE15030CW	6162517	15 x 30 mm	Cream white
WDK HE15030RW	6193102	15 x 30 mm	Pure white
WDK HE15030VW	6193423	15 x 30 mm	Traffic white
WDKH-E15030RW	6175546	15 x 30 mm	Pure white
WDKH-E15030RW	6176212	15 x 30 mm	Pure white
WDK HE15040CW	6162525	15 x 40 mm	Cream white
WDK HE15040RW	6193110	15 x 40 mm	Pure white
WDK HE15040GR	6158722	15 x 40 mm	Stone grey
WDK HE15040VW	6193424	15 x 40 mm	Traffic white
WDK HE20020GR	6158706	20 x 20 mm	Stone grey
WDK HE20020CW	6162509	20 x 20 mm	Cream white
WDK HE20020LGR	6183611	20 x 20 mm	Light grey

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HE20020RW	6193129	20 x 20 mm	Pure white
WDK HE20020VW	6193426	20 x 20 mm	Traffic white
WDKH-E20020RW	6175550	20 x 20 mm	Pure white
WDKH-E20020LGR	6175928	20 x 20 mm	Light grey
WDKH-E20020RW	6176214	20 x 20 mm	Pure white
WDK HE20035GR	6158781	20 x 35 mm	Stone grey
WDK HE20035CW	6162487	20 x 35 mm	Cream white
WDK HE20035LGR	6183654	20 x 35 mm	Light grey
WDK HE20035RW	6193137	20 x 35 mm	Pure white
WDK HE20035VW	6193429	20 x 35 mm	Traffic white
WDK HE20050CW	6153674	20 x 50 mm	Cream white
WDK HE20050RW	6154557	20 x 50 mm	Pure white
WDK HE20050VW	6193430	20 x 50 mm	Traffic white
WDK HE25025GR	6158730	25 x 25 mm	Stone grey
WDK HE25025CW	6162533	25 x 25 mm	Cream white
WDK HE25025LGR	6183662	25 x 25 mm	Light grey
WDK HE25025RW	6193145	25 x 25 mm	Pure white
WDK HE25025VW	6193431	25 x 25 mm	Traffic white
WDK HE25040GR	6158749	25 x 40 mm	Stone grey
WDK HE25040CW	6162541	25 x 40 mm	Cream white
WDK HE25040RW	6193153	25 x 40 mm	Pure white
WDK HE25040VW	6193432	25 x 40 mm	Traffic white
WDK HE25040SW	6191808	25 x 40 mm	Jet black
WDK HE30030GR	6158765	30 x 30 mm	Stone grey
WDK HE30030CW	6162576	30 x 30 mm	Cream white
WDK HE30030LGR	6183697	30 x 30 mm	Light grey
WDK HE30030RW	6193188	30 x 30 mm	Pure white
WDK HE30030VW	6193435	30 x 30 mm	Traffic white
WDK HE30045GR	6158803	30 x 45 mm	Stone grey
WDK HE30045CW	6162584	30 x 45 mm	Cream white
WDK HE30045LGR	6183700	30 x 45 mm	Light grey
WDK HE30045RW	6193196	30 x 45 mm	Pure white
WDK HE30045VW	6193438	30 x 45 mm	Traffic white
WDKH-E30045RW	6175554	30 x 45 mm	Pure white
WDKH-E30045LGR	6175932	30 x 45 mm	Light grey
WDK HE40040GR	6158773	40 x 40 mm	Stone grey
WDK HE40040CW	6162592	40 x 40 mm	Cream white
WDK HE40040LGR	6183727	40 x 40 mm	Light grey
WDK HE40040RW	6193218	40 x 40 mm	Pure white
WDK HE40040VW	6193441	40 x 40 mm	Traffic white
WDK HE40060GR	6021492	40 x 60 mm	Stone grey

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HE40060CW	6162606	40 x 60 mm	Cream white
WDK HE40060LGR	6183735	40 x 60 mm	Light grey
WDK HE40060RW	6193226	40 x 60 mm	Pure white
WDK HE40060VW	6193444	40 x 60 mm	Traffic white
WDKH-E40060RW	6175558	40 x 60 mm	Pure white
WDKH-E40060LGR	6175936	40 x 60 mm	Light grey
WDK HE40090GR	6021506	40 x 90 mm	Stone grey
WDK HE40090CW	6162614	40 x 90 mm	Cream white
WDK HE40090LGR	6183743	40 x 90 mm	Light grey
WDK HE40090RW	6193234	40 x 90 mm	Pure white
WDK HE40090VW	6193447	40 x 90 mm	Traffic white
WDK HE40110GR	6021514	40 x 110 mm	Stone grey
WDK HE40110CW	6162622	40 x 110 mm	Cream white
WDK HE40110LGR	6183751	40 x 110 mm	Light grey
WDK HE40110RW	6193242	40 x 110 mm	Pure white
WDK HE40110VW	6193448	40 x 110 mm	Traffic white
WDK HE60060GR	6022499	60 x 60 mm	Stone grey
WDK HE60060CW	6162800	60 x 60 mm	Cream white
WDK HE60060LGR	6183808	60 x 60 mm	Light grey
WDK HE60060RW	6193285	60 x 60 mm	Pure white
WDK HE60060VW	6193450	60 x 60 mm	Traffic white
WDK HE60090GR	6022502	60 x 90 mm	Stone grey
WDK HE60090CW	6162819	60 x 90 mm	Cream white
WDK HE60090LGR	6183816	60 x 90 mm	Light grey
WDK HE60090RW	6193293	60 x 90 mm	Pure white
WDK HE60090VW	6193453	60 x 90 mm	Traffic white
WDKH-E60090RW	6175562	60 x 90 mm	Pure white
WDKH-E60090LGR	6175940	60 x 90 mm	Light grey
WDK HE60110GR	6022588	60 x 110 mm	Stone grey
WDK HE60110CW	6162827	60 x 110 mm	Cream white
WDK HE60110LGR	6183824	60 x 110 mm	Light grey
WDK HE60110RW	6193307	60 x 110 mm	Pure white
WDK HE60110VW	6193456	60 x 110 mm	Traffic white
WDK HE60110SW	6191812	60 x 110 mm	Jet black
WDKH-E60110RW	6175566	60 x 110 mm	Pure white
WDKH-E60110LGR	6175944	60 x 110 mm	Light grey
WDK HE60130GR	6022529	60 x 130 mm	Stone grey
WDK HE60130CW	6162835	60 x 130 mm	Cream white
WDK HE60130LGR	6183832	60 x 130 mm	Light grey
WDK HE60130RW	6193315	60 x 130 mm	Pure white
WDK HE60130VW	6193459	60 x 130 mm	Traffic white

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HE60150GR	6024823	60 x 150 mm	Stone grey
WDK HE60150CW	6162878	60 x 150 mm	Cream white
WDK HE60150LGR	6183840	60 x 150 mm	Light grey
WDK HE60150RW	6193323	60 x 150 mm	Pure white
WDK HE60150VW	6193462	60 x 150 mm	Traffic white
WDKH-E60150RW	6175570	60 x 150 mm	Pure white
WDKH-E60150LGR	6175948	60 x 150 mm	Light grey
WDK HE60170GR	6022545	60 x 170 mm	Stone grey
WDK HE60170CW	6162843	60 x 170 mm	Cream white
WDK HE60170LGR	6183859	60 x 170 mm	Light grey
WDK HE60170RW	6193331	60 x 170 mm	Pure white
WDK HE60170VW	6193465	60 x 170 mm	Traffic white
WDK HE60210GR	6022561	60 x 210 mm	Stone grey
WDK HE60210CW	6162851	60 x 210 mm	Cream white
WDK HE60210LGR	6183867	60 x 210 mm	Light grey
WDK HE60210RW	6193358	60 x 210 mm	Pure white
WDK HE60210VW	6193466	60 x 210 mm	Traffic white
WDK HE60230GR	6024831	60 x 230 mm	Stone grey
WDK HE60230CW	6162886	60 x 230 mm	Cream white
WDK HE60230LGR	6183875	60 x 230 mm	Light grey
WDK HE60230RW	6193366	60 x 230 mm	Pure white
WDK HE60230VW	6193467	60 x 230 mm	Traffic white
WDK HE80170GR	6024858	80 x 170 mm	Stone grey
WDK HE80170CW	6163009	80 x 170 mm	Cream white
WDK HE80170LGR	6183913	80 x 170 mm	Light grey
WDK HE80170RW	6193387	80 x 170 mm	Pure white
WDK HE80170VW	6193468	80 x 170 mm	Traffic white
WDK HE80210GR	6024874	80 x 210 mm	Stone grey
WDK HE80210CW	6163017	80 x 210 mm	Cream white
WDK HE80210LGR	6183921	80 x 210 mm	Light grey
WDK HE80210RW	6193391	80 x 210 mm	Pure white
WDK HE80210VW	6193470	80 x 210 mm	Traffic white
WDK HE100130GR	6024882	100 x 130 mm	Stone grey
WDK HE100130CW	6163041	100 x 130 mm	Cream white
WDK HE100130L-GR	6183956	100 x 130 mm	Light grey
WDK HE100130RW	6193395	100 x 130 mm	Pure white
WDK HE100130VW	6193476	100 x 130 mm	Traffic white
WDK HE100230GR	6024904	100 x 230 mm	Stone grey
WDK HE100230CW	6163076	100 x 230 mm	Cream white

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HE100230L-GR	6183980	100 x 230 mm	Light grey
WDK HE100230RW	6193399	100 x 230 mm	Pure white
WDK HE100230VW	6193478	100 x 230 mm	Traffic white

Tab. 26: Technical data: End piece

Pipe adapter

Type	Item no.	Dimensions (L x W x H)	Colour
WDK HPC13025RW16	6193710	15 x 27 x 50 mm	Pure white
WDK HPC13025PW16	6193708	15 x 27 x 50 mm	Oyster white
WDK HPC13025RW19	6193730	15 x 27 x 50 mm	Pure white
WDK HPC13025PW19	6193728	15 x 27 x 50 mm	Oyster white
WDK HPC13025RW20	6193729	15 x 27 x 50 mm	Pure white
WDK HPC13025PW20	6193731	15 x 27 x 50 mm	Oyster white

Tab. 27: Technical data: Pipe adapter

5.2.2 Accessories

Cover

Type	Item no.	Dimensions (L x W x H)	Colour
2410 25LGR	6028047	25 x 2000 mm	Light grey
2410 40GR	6022669	40 x 2000 mm	Stone grey
2410 40CW	6027601	40 x 2000 mm	Cream white
2410 40RW	6191568	40 x 2000 mm	Pure white
2410 60GR	6022685	60 x 2000 mm	Stone grey
2410 60CW	6027660	60 x 2000 mm	Cream white
2410 60LGR	6028136	60 x 2000 mm	Light grey
2410 60RW	6191592	60 x 2000 mm	Pure white
2410 90GR	6022707	90 x 2000 mm	Stone grey
2410 90CW	6027636	90 x 2000 mm	Cream white
2410 110CW	6027644	110 x 2000 mm	Cream white
2410 130GR	6022723	130 x 2000 mm	Stone grey
2410 130CW	6027652	130 x 2000 mm	Cream white
2410 130RW	6191657	130 x 2000 mm	Pure white
2410 150GR	6022731	150 x 2000 mm	Stone grey
2410 150RW	6191673	150 x 2000 mm	Pure white
2410 170CW	6027679	170 x 2000 mm	Cream white
2410 210GR	6022774	210 x 2000 mm	Stone grey
2410 210CW	6027687	210 x 2000 mm	Cream white
2410 210RW	6191738	210 x 2000 mm	Pure white
2410 230CW	6027504	230 x 2000 mm	Cream white
2410 230RW	6191754	230 x 2000 mm	Pure white

Tab. 28: Technical data: Cover**Partition**

Type	Item no.	Dimensions (L x W x H)	Colour
2371 40	6023096	40 x 2000 mm	Light grey
WDKH-TW40LGR	6175500	15 x 28 x 2000 mm	Light grey
2371 60	6023118	60 x 2000 mm	Light grey
WDKH-TW60LGR	6175504	15 x 50 x 2000 mm	Light grey
2371 80	6026982	80 x 2000 mm	Light grey
2371 100	6026990	100 x 2000 mm	Light grey

Tab. 29: Technical data: Partition**Cover clip**

Typ	Item no.	Dimensions (L x W x H)	Colour
2370 60	6022995	60 mm	Light grey
OTK H60	6176122	49 x 29 mm	Pure white
2370 90	6023509	90 mm	Light grey
OTK H90	6176125	75,5 x 29 mm	Pure white
2370 110	6023517	110 mm	Light grey
OTK H110	6176128	96 x 29 mm	Pure white
2370 130	6023525	130 mm	Light grey
2370 150	6023533	150 mm	Light grey
OTK H150	6176131	116 x 29 mm	Pure white
2370 170	6023541	170 mm	Light grey
2370 210	6023576	210 mm	Light grey
2370 230	6023584	230 mm	Light grey

Tab. 30: Technical data: Cover clip**Device installation socket/device support**

Type	Item no.	Dimensions (L x W x H)	Colour
2390	6023207	71 x 71 x 57 mm	Light grey
2392	6024009	100 x 100 x 53 mm	Light grey
WDK GT1M45RW	6154893	74 x 127 x 47 mm	Pure white

Tab. 31: Technical data: Device installation socket/device support**5.3 WDK universal trunking****End piece**

Type	Item no.	Dimensions (L x W x H)	Colour
RK-E1117LGR	6156231	127 x 175 mm	Light grey
RK-E1117GR	6156223	127 x 175 mm	Stone grey

Technical data

Type	Item no.	Dimensions (L x W x H)	Colour
WDKMD4	6150015	4,5 x 9 x 2000 mm	Light grey

Tab. 32: Technical data: End piece, universal trunking

Cover

Type	Item no.	Dimensions (L x W x H)	Colour
2410 110RW	6191630	110 x 2000 mm	Pure white
2410 110LGR	6028152	110 x 2000 mm	Light grey
2410 110GR	6022715	110 x 2000 mm	Stone grey
2410 170RW	6191703	170 x 2000 mm	Pure white
2410 170LGR	6028187	170 x 2000 mm	Light grey
2410 170GR	6022758	170 x 2000 mm	Stone grey

Tab. 33: Technical data: Cover, universal trunking

Cover clip

Type	Item no.	Dimensions (L x W x H)	Colour
RK-K1117	6156207	166 x 120 mm	-

Tab. 34: Technical data: Cover clip, universal trunking

Stand 02/2022

241005.02

OBO Bettermann Holding GmbH & Co. KG
P.O. Box 1120
58694 Menden
GERMANY

Customer Service Germany
Tel.: +49 2373 89 - 13 00

toi@obo.de

www.obo-bettermann.com

Building Connections

